


STROCO

Exceeding Your Expectations



Without Pilot Holes Part Number	Pilot Holes Part Number	No. of Terminals	L
1102	102	2	1.50
1103	103	3	2.25
1104	104	4	3.00
1105	105	5	3.75
1106	106	6	4.50
1107	107	7	5.25
1108	108	8	6.00
1109	109	9	6.75
1110	110	10	7.50

Material:

Studs: Carbon steel, tensile strength 50,000 P.S.I., minimum
 Board: Aluminum alloy 6061-T6 per AMS-QQ-A-250/11.

Finish:

Studs: Cadmium plated per AMS-QQ-P-416, Type II, Class 2
 Board: Chemically conversion treat with iridite 14-2 per P.S. 13222. Finish with two coats of MMS 423 epoxy primer per P.S. 13375 except as shown in Figures 1 through 5. In addition, epoxy primer shall not be applied to the mounting side of the flange or to the mounting surface of the terminal boards.

DIMENSIONS IN INCHES: TOLERANCES UNLESS OTHERWISE SPECIFIED: X.XX ± 0.03; X.XXX ± 0.010; ANGLES ± 0.5°
 DOCUMENT AND ITS CONTENTS ARE PROPRIETARY INFORMATION TO STROCO AND ITS AFFILIATES. USE WITHOUT AUTHORIZATION IS PROHIBITED.

CAGE NO. 19904	TITLE	PART NUMBER 10X AND 110X
	<p style="text-align: center;">TERMINAL BOARD</p> <p style="text-align: center;">DRAWING FOR INTERNAL USE ONLY.</p>	
		REV A 04/01/06

