


STROCO

Exceeding Your Expectations



Without Pilot Holes Part Number	Pilot Holes Part Number	No. of Terminals	L
1303	303	3	2.25
1304	304	4	3.00
1305	305	5	3.75
1306	306	6	4.50
1307	307	7	5.25
1308	308	8	6.00
1309	309	9	6.75
1310	310	10	7.50

Material:

Studs: Carbon steel, tensile strength 50,000 P.S.I., minimum
 Board: Aluminum alloy 6061-T6 per AMS-QQ-A-250/11.

Finish:

Studs: Cadmium plated per AMS-QQ-P-416, Type II, Class 2
 Board: Chemically conversion treat with iridite 14-2 per [P.S. 13222](#). Finish with two coats of [MMS 423](#) epoxy primer per [P.S. 13375](#) except as shown in Figures 1 through 5. In addition, epoxy primer shall not be applied to the mounting side of the flange or to the mounting surface of the terminal boards.

DIMENSIONS IN INCHES: TOLERANCES UNLESS OTHERWISE SPECIFIED: X.XX ± 0.03; X.XXX ± 0.010; ANGLES ± 0.5°
 DOCUMENT AND ITS CONTENTS ARE PROPRIETARY INFORMATION TO STROCO AND ITS AFFILIATES. USE WITHOUT AUTHORIZATION IS PROHIBITED.

CAGE NO. 19904	TITLE	PART NUMBER 30X AND 130X
	<p align="center">TERMINAL BOARD</p> <p align="center">DRAWING FOR INTERNAL USE ONLY.</p>	

